






RJ726-M Angle Pull

Edge Pull

#RAJACK #RJ726M



Finishes

- US03 Pol.Brass
- US03A Pol.Brass N/L
- US04 Satin Brass
- US04A Satin Brass N/L
- US05 Antique Brass
- US09 Polished Bronze
- US10 Satin Bronze
- US10A Dark Bronze
- US10B Oil Rubbed Bronze
- US14 Pol.Nickel
- US14A Pol.Nickel N/L
- US15 Satin Nickel
- US15A Satin Nickel N/L
- US19 Satin Black
- US26 Pol.Chrome
- US26D Satin Chrome

Powder Coating All RAL Colors

Match Your Sample

* RAJACK can match any custom or existing hardware finishes provided you submit a sample when placing order.

RJ726M-PG 1 of 3

RAJACK.com

Material Thickness 1/8" and 1/16th"

Screws: #6 x 3/4" Philips Flat

rajackhardware
Follow us on Instagram

info@rajack.com

RAJACK HARDWARE


95 Rome Street
Farmingdale, NY 11735
631-293-8273 Phone




RJ726-M Angle Pull

Edge Pull

#RAJACK #RJ726M



Material Thickness 1/8" >>> 1/16"
Screw: #6 x 3/4" Philips Flat



Screw Hole Location can be specified otherwise standard is 3/8 x 3/8

Finishes

- US03 Pol.Brass
- US03A Pol.Brass N/L
- US04 Satin Brass
- US04A Satin Brass N/L
- US05 Antique Brass
- US09 Polished Bronze
- US10 Satin Bronze
- US10A Dark Bronze
- US10B Oil Rubbed Bronze
- US14 Pol.Nickel
- US14A Pol.Nickel N/L
- US15 Satin Nickel
- US15A Satin Nickel N/L
- US19 Satin Black
- US26 Pol.Chrome
- US26D Satin Chrome

Powder Coating All RAL Colors

Match Your Sample

* RAJACK can match any custom or existing hardware finishes provided you submit a sample when placing order.

Manufactured to your length and depth.

Standard OA Depth 2" will be assumed for manufacturing unless specified differently.

1/2" grab area behind return is suggested and assumed unless otherwise specified.

5/8" Return for pulls with oa depth greater than 1-1/2". Pulls that have a depth of 1-1/2" or less have a 1/2" Return. Unless otherwise noted.

Additional Screw holes may be needed depending on OA length of Pull




RJ726-M Angle Pull
Edge Pull
#RAJACK #RJ726M

RJ726-M
ORDER WORKSHEET

PO#/Ref:

12" Length Max for RJ726-M



- A: Length of Pull
- B: Door Thickness
- C: Front Return
- D: Depth 2" Standard
- E: Finish of Pull
- F: Reduced Area

